

## Plaster Troffer

The PLAS is a high quality diffused troffer luminaire for recessed plaster applications. It features a white polyester powdercoated sheet-steel body and a wide range of diffusing medium.

It utilises T8 lamp sources and conventional gear as standard (electronic gear optional) and T5 lamp sources with electronic gear for optimum performance.

Recessed luminaires include a 1.5m supply flex and plug as standard



## Applications

- Schools
- Offices
- Hospitals
- Libraries
- Retail

## Mounting


- Plaster Recessed

## Options

- Electronic Ballasts
- Dimmable Ballasts

## Optics

- Y12 prismatic
- Y15 prismatic
- Y19 prismatic
- Y19 silvertint prismatic
- Y5 Fine rib
- Y7 Course rib
- Refer OEM Pages for lens details.
- Other diffusers available upon request



PLAS300362Y12 2x36w T8 YP12 Lens  
Test Report AS1041

## Plaster

Cat No	Wattage	Mounting	L	W	H
PLAS300181Y12	1x18w	Plaster	635	325	100
PLAS300361Y12	1x36w	Plaster	1245	325	100
PLAS300182Y12	2x18w	Plaster	635	325	100
PLAS300362Y12	2x36w	Plaster	1245	325	100
PLAS300183Y12	3x18w	Plaster	635	325	100
PLAS300363Y12	3x38w	Plaster	1245	325	100




### Notes:

- Electronic ballast add "EL" to Cat No.
- DSI Dimming add suffix "DSI" to Cat No.
- DALI Dimming add suffix "DALI" to Cat No.
- Replace "Y12" suffix in Cat # with other lens types as required (See front page)
- Emergency add suffix "EM" to Cat No.



Plaster Mounting Bracket

### Dimensional Detail



T5 Plaster					
Cat No	Wattage	Mounting	L	W	H
PLAS300141Y12	1x14w	Plaster	635	325	95
PLAS300241Y12	1x24w	Plaster	635	325	95
PLAS300281Y12	1x28w	Plaster	1245	325	95
PLAS300541Y12	1x54w	Plaster	1245	325	95
PLAS300142Y12	2x14w	Plaster	635	325	90
PLAS300242Y12	2x24w	Plaster	635	325	90
PLAS300282Y12	2x28w	Plaster	1245	325	90
PLAS300542Y12	2x54w	Plaster	1245	325	90
PLAS600143Y12	3x14w	Plaster	635	635	60
PLAS600243Y12	3x24w	Plaster	635	635	60
PLAS600283Y12	3x28w	Plaster	1245	635	60
PLAS600543Y12	3x54w	Plaster	1245	635	60
PLAS600144Y12	4x14w	Plaster	635	635	60
PLAS600244Y12	4x24w	Plaster	635	635	60
PLAS600284Y12	4x28w	Plaster	1245	635	60
PLAS600544Y12	4x54w	Plaster	1245	635	60



Recessed Plaster

Notes:

- DSI Dimming add suffix "DSI" to Cat No.
- DALI Dimming add suffix "DALI" to Cat No.
- Replace "Y12" suffix in Cat No. with other lens types as required (See front page)
- Emergency add suffix "EM" to Cat No.

Dimensional Detail

